

PROCEEDINGS

ENHANCING AND STRENGTHENING HALAL INDUSTRY THROUGH SCIENCE













Halal Development Corporation



VIRTUAL INTERNATIONAL HALAL SCIENCE CONFERENCE 2021

Enhancing and Strengthening Halal Industry through Science (vIHASC'21)



Published by: International Institute for Halal Research and Training (INHART), Level 3, KICT Building, International Islamic University Malaysia (IIUM), 53100, Gombak, Selangor, Malaysia. Tel.: + 60 3 - 6196 5590

In-Collaboration with: Academy of Sciences Malaysia Level 20, West Wing, MATRADE Tower, Jalan Sultan Haji Ahmad Shah, off Jalan Tuanku Abdul Halim, 50480 Kuala Lumpur, Malaysia Tel: +6 (03) 6203 0633

ISBN: 978-967-25844-0-7



Copyright and Reprint Permission: Abstracting is permitted with credit to the source. For other copying, reprint, or republication permission is required from the Chairman of vHASC'21.

i



Committee Members

Advisor Prof. Datuk Dr. Asma Ismail

Chairperson Prof. Dr. Hamzah Mohd Salleh

> Deputy Chairperson Prof. Ts. Dr. Azura Amid

Secretary Assoc. Prof. Dr. Noor Faizul Hadry Nordin

Deputy Secretary Dr. Muhamad Shirwan Abdullah Sani

Finance Br. Muhamad Haziq Mohd Zambi Dr. Nurhidayu Al-Saari Dr. Haruna Babatunde Jaiyeoba

Floor Manager/Preparation & Technical

Dr. Amal A. M. Elgharbawy Dr. Norazilawati Md Dahlal Prof. Dr. Yumi Zuhanis Has-Yun Hashim

Proceedings and/or Post Conference Publication Prof. Dr. Irwandi Jaswir Assoc. Prof. Dr Mohammed Elwathig Mirghani

Dr. Nurhusna Samsudin

Promotion & Publicity

Assoc. Prof. Dr. Zaleha Kassim Dr. Wan Syibrah Hanisah Wan Sulaiman Dr. Nur Hanie Mohd Latiff Dr. Noor Yuslida Hazahari Dr. Betania Kartika

Papers/Programme

Dr. Mohd Hafidz Mahamad Maifiah Dr. Nur Azira Tukiran Dr. Anis Najiha Ahmad

ii

Reviewers

Dr. Muhammad Shirwan Abdullah Sani International Islamic UniversityMalaysia

Dr. Betania Kartika Muflih International Islamic University Malaysia

Dr. Haruna Babatunde Jaiyeoba International Islamic University Malaysia

Dr. Mohammad Aizat Bin Jamaludin International Islamic University Malaysia

Prof. Dr. Irwandi Jaswir International Islamic UniversityMalaysia

Assoc. Prof. Dr. Mohamed ElwathigSaeed Mirghani International Islamic UniversityMalaysia

Dr. Nurhidayu Al-Saari International Islamic University Malaysia

Dr. Nurhusna Binti Samsudin International Islamic University Malaysia

Assoc. Prof. Dr. Noor Faizul HadryNordin International Islamic UniversityMalaysia Dr. Mustafa Shamsuddin International Islamic University Malaysia

Dr. Ungku Fatimah Ungku Zainal Abidin Universiti Putra Malaysia

Dr. Mohd Hafis Yuswan Mohd Yusoff Universiti Putra Malaysia

> Dr. Nurul Hawa Ahmad Universiti Putra Malaysia

Assoc. Prof. Dr. Nitty Hirawaty Kamarulzaman Universiti Putra Malaysia

Ts. Dr. Siti Khadijah Ali Universiti Putra Malaysia

Dr. Siti Radhiah Omar Universiti Sains Islam Malaysia

Assoc. Prof. Dr. Alina Abdul Rahim Universiti Sains Islam Malaysia

Dr. Mohd Mahyeddin Hj. Mohd Salleh Universiti Sains Islam Malaysia

iii



Nurul Ain Mohammad Rosli International Islamic University Malaysia

Md. Siddique E Azam International Islamic University Malaysia

Irwan Khazani Wan Ibrahim International Islamic University Malaysia

Rahma Octaviani International Islamic University Malaysia

Nor Azrini Nadiha Azmi International Islamic University Malaysia

Shahoriyer Hossain International Islamic University Malaysia

Siti Jamilah Mohd Sukri International Islamic University Malaysia

Nurul Azlen Hanifah International Islamic University Malaysia

Siti Nabilla Ismail International Islamic University Malaysia

Rehan Muzamil Butt International Islamic University Malaysia Nur Najihah Zulkifli Universiti Sains Islam Malaysia

Raihanah Roslan Universiti Sains Islam Malaysia

Nurul Izzaty Bahar International Islamic University Malaysia

Farouk Norman Bin Kamaruddin International Islamic University Malaysia

> Khalidah Afiqah M. Nawawi Universiti Teknologi MARA

Aini Rasidda Norazmi International Islamic University Malaysia

> Adriana Yazik Universiti Sultan Zainal Abidin

Nur Hanisah Mohamad Ikhiwan Universiti Sains Islam Malaysia

Sahira Syamimi binti Ahmad Zawawi International Islamic University Malaysia

> Nur Airena binti Mohd Sazali Universiti Kebangsaan Malaysia

iv

TABLE OF CONTENT

Committe	e members	ii			
Reviewers		iii			
Volunteer	S	iv			
Themes, S	bub-themes, and objective	v			
Message o	f vIHASC'21 Advisor	vi			
Message o	f vIHASC'21 Chairman	vii			
Extended	Abstract				
	Islamic Perspective in Halal Science (IPH).				
IPH20	The propensity of the doubtful matters between halal and haram: a	1			
	Figh perspective on "between the two of them are doubtful matters."				
IPH23	Figh <i>istihlak</i> and <i>istihalah</i> on COVID-19 Vaccine.	6			
IPH24	MySejahtera app and privacy concern: a Maqasid perspective.	10			
IPH35 Spent brewer yeast status in halal food industry: An analysis from					
	shariah and science perspectives.				
IPH48	Shariah Principles as a Guideline to Halal Guarantee in Halal	18			
	Logistics: A Preliminary Review.				
IPH55	Integration of Tibb Unani in Consideration with Tibb Nabawi Ghiza-	23			
	Dietotherapy.				
IPH57	Does Halal Science Meet the Criteria of an Academic Discipline?	30			
IPH62	Muslim Theologians and Jurists' Response to Modern Advances in	34			
	Biosciences.				
IPH65	Islamic View in Halal Science.	36			
Use Of L	Disruptive Technologies in Halal Services, Logistics, Manufacturing				
5	And Supply Chain (UDT).				
UDT45	Malaysia Halal Meat Import: From Fraud to Blockchain Assurance.	40			
UDT49	Challenges of Enhancing Halal Food Supply Chain Traceability	44			
	Using Blockchain Technology: A Case Study from Start Up in				
	Indonesia.				
UDT64	Digital Destinations in Muslim-Friendly Travel & Tourism: Turn	48			
	Your Traveller Experience Visions into Reality and Deliver Content				
	Values.				
Usir	ng Technologies to Enhance Halalan Toyyiban Lifestyle (UTE)				
UTE10	Development of a Low Energy 'Toyyiban' Environment Post Covid	53			
	for a Food Testing Lab Complex.				
UTE29	Reading the Concept of Al-Gharar on the Background of Robo-	56			
	Advisory: One More Step Towards Halalan Toyyiban Lifestyle.				
UTE32	Stingless Bee Honey as a Halalan Toyyiban Superfood: The	60			
	Beekeepers Challenges.				
UTE33	Fish Waste to Fish Oil: Its Relevance to Halal Industry.	64			
UTE36	A Semiotic Analysis of Eid Advertisements in Malaysia Using	67			
	Hofstede's Value Dimensions and Islamic Values.				
UTE37	A Study Examining the Adoption of Islamic Advertising Guidelines	72			
	by Television Stations in Malaysia.				
UTE41	A Review of Healthy Bars - Purchasing Motives and Challenges:	77			
	Towards Halalan Toyyiban Approach				
UTE52	Al-Jallalah Plants: Chemical Analysis of MBM Solution.	82			
UTE63	The Role of Islamic Banking in the Development of Halal Science	86			
	and Industry in Nigeria.				
	Omic-Based Technology and Halal Industry (OTH).				

OTH17	Authentication of Natural and Halal Yellow Carthamin from Safflower Petals Using FTIR Spectroscopy.			
OTH19	Detection of Porcine DNA in Commercially Processed Food Products in Sarawak.			
OTH26	Authentication of Cervus timorensis DNA Using Sequencing Assay	98		
OTH51	using Slightly-modified Epicentre Extraction App. Authentication of Meats and Meat-Products from Halal and Haram Animals Based on Profiles of Volatile Compounds.			
	Halal Pharmaceutical and Medical Devices (HPM)			
HPM28	Towards a Holistic Healthcare: Synthesis of Maqasid Al-Shariah and	106		
	Unani Medicine.	110		
HPM40	A Review of Essential Oils as a Halal Alternative Therapeutic	110		
	Source for Lung Cancer.	115		
HPM43	Collagenase and Tris-HCL Pre-Treatment Remove Inhibitory	115		
	Properties of Porcine Collagen During Rt-PCR Detection.	110		
HPM56	The Utilization of Cassava Leaves Powder as Alternative to	119		
1101450	Anthelminthic Drugs in Boer Goat.	100		
HPM58	Screening of the Cytotoxic Activity of Aquilaria malaccensis	123		
	Aqueous Extract Against Selected Cancer Cell Lines Towards			
A decesso o	Development of Halal and Toyyib Anticancer Agent.			
Aavanc	e Material and Nanotechnology for Halal Alternative Ingredients (AMN)			
AMN22	Liquid-Liquid Equilibrium in ATPS and Their Application in	127		
AIVIINZZ	Purification of Recombinant Collagen-Like Protein from	127		
	Rhodopseudomonas palustris Expressed In E.Coli System.			
AMN25	Cloning, Expression and Purification of Collagen-Like Protein from	131		
7 11011 (25)	Methylobacteria Sp. 4-46 as Alternative Substance for Collagen-	151		
	Based Industries.			
AMN38	Chitosan from Horseshoe Crab as an Alternative Source of Chitosan.	135		
AMN42	Production of Marine Microalgae <i>Chlorella vulgaris</i> and	140		
Nannochloropsis Sp. – A Better Alternative for Green Water in				
	Aquaculture			
AMN44	Proximate Composition and Determination of Epigallocatechin	144		
	Gallate Content in Melon Manis Terengganu.			
AMN47	Potential Cellulosic Pickering Emulsifier from Pepper (Piper nigrum	149		
	L.) Agro-Industrial Waste.	,		
	Others (OTR).			
OTR14	All-You-Can-Eat Restaurants and Islamic Teaching.	154		
OTR30	A Review on the Implementation of Halalan Toyyiban Approach in	158		
	Maintaining Halal, Safety and Quality Food among Muslim Students			
	Studying Abroad			
OTR31	Intention To Use Halal-Certified Bakery Ingredients among Online	162		
	Muslim Entrepreneurs: Application of Extended Theory of Planned			
	Behaviour (TPB) Model.			
OTR34	Strengthening the Efficiency of Cold Chain Management in Halal	166		
	Food Industry by Identifying the Crucial Barriers.			
OTR39	The Moderating Role of Gender on the Effect of Instagram	171		
	Advertising on University Students in Malaysia Using AIDA Model.			
OTR46	Development of Core Competencies Index for Halal Executive in	175		
	Food Company.			

OTR50	Mesozooplankton Community Structure and Oceanographic Features	180
	in The East Coast of Peninsular Malaysia.	
OTR60	Can Corporate Social Responsibility Serve as a Promotional Tool for	185
	The Malaysian Halal Certified Companies? A Consumers' View.	

OTR61 Connecting Amanah (Trustworthiness) with Employee Engagement: 190 Does it Matter in Islamic Higher Education Institutions in Malaysia? striolatum diels. *Records of Natural Products*, 14(2), 144-149. What is lung cancer? (2019). Cancer.org. https://www.cancer.org/cancer/lung-cancer/about/what-is.html

<u>HPM43</u>

COLLAGENASE AND TRIS-HCL PRE-TREATMENT REMOVE INHIBITORY PROPERTIES OF PORCINE COLLAGEN DURING RT-PCR DETECTION

Khoiroh Inda Dini¹, Mardiah^{2,3} Joko Hermanianto¹*, Didah Nur Faridah¹ and Raafqi Ranasasmita²

¹ Department of Food and Science Technology, Faculty of Agricultural and Engineering Technology, Bogor Agricultural University (IPB University), Bogor 16680, Indonesia.
(E-mail: khoiroh_0410@apps.ipb.ac.id, *jokoher@yahoo.com)
² LPPOM MUI Laboratory, Indonesian Halal Certifier LPPOM MUI, Jl. Pemuda No. 5, Bogor 16161, Indonesia. (E-mail: labhalal@halalmui.org)
³ Food Technology Department, Faculty of Postgraduate, Djuanda University, Bogor 16720, Indonesia. (E-mail: mardiah@unida.ac.id)

ABSTRACT

Collagens have a critical role in the food, cosmetic, and pharmaceutical industries. Collagen comes from a variety of sources, making it crucial for halal considerations. Thus, the possible adulteration and contamination of non-halal collagen should be examined with lab testing. Currently, real-time PCR (RT-PCR) serves as a sensitive and specific method for halal examination. Unfortunately, collagen has inhibitory properties that inhibit amplification in real-time PCR. This study will examine the use of a pre-treatment method to eliminate the inhibitory properties and allow collagen analysis using RT-PCR. In this study, pre-treatment was carried out by hydrolysis using enzymes and acids. The pre-treatment by collagenase and Tris-HCl hydrolysis allowed for porcine DNA in collagen to be detected with a Ct value of 36.15.

Keywords: Bovine collagen, Collagenase enzymes, Hydrolysis, Porcine Collagen, RT-PCR

INTRODUCTION

Collagen can be extracted from the skin and bones of some vertebrate animals, such as bovines and pigs. Therefore, the halal status of collagen depends mostly on the source of raw material used and the production process. Porcine-based collagens are prohibited (haram) for Muslims, while other livestock such as cows can be consumed as long as halal-slaughter procedures are followed. It is recommended that Muslims should refrain from using collagen that has no known source.

Collagen is a unique protein because it has a triple helix structure that distinguishes collage from other proteins in the human body. Collagen has inhibitory properties that inhibit the

amplification of DNA in real-time PCR. Real-time polymerase chain reaction (RT-PCR) is a sensitive and specific method specifically used for halal examination by detecting the source of a material based on the amino acid sequence. Collagen protein cannot be detected directly using RT-PCR, whereas gelatin, which is formed when collagen is partially hydrolyzed, may be detected using RT-PCR. The Ct value of 37.87 for porcine gelatin and 37.48 for bovine gelatin, indicates that gelatin is more sensitive than collagen protein (Cai et al., 2012).

This study aims to determine the efficacy of pre-treatment methods with enzyme and acid hydrolysis so that the collagen hydrolysate can be analyzed using RT-PCR. In general, this research was carried out in several steps, beginning with collagen hydrolysis using enzymes and acids, followed by identification of collagen hydrolysate DNA using RT-PCR. Pig and bovine collagen were obtained from the bones of an animal, collagenase type I from *Clostridium histolyticum* (BioFroxx China), Tris-HCl (Merck KGaA, Darmstadt Germany), papain enzyme (PT. Bromelain Enzyme, Lampung, Indonesia), formic acid (Merck), and acetic acid. Sample extraction was carried out using DNA Extraction Kit from KogeneBiotech Korea, while the primer-probe design usesTaqpathTM ProAmpTM Master Mix combined with IPC TaqManTM (AppliedBiosystems), identification of collagen DNA using RT-PCR by CFX96 machine (BioRad) (Tanabe et al., 2007).

Collagen inhibits amplification in real-time PCR, therefore pre-treatment to remove the inhibitors is required. This study used enzymes and acids to hydrolyze as the two forms of pre-treatment. First, hydrolysis using 2% formic acid and papain (200 IU). 1 g of collagen was dispersed with 100 mL of 2% formic acid, then heated at 108 0 C for 2 hours, after that added papain at 60 0 C for 6 hours (Hong et al., 2018). Second, hydrolysis using 0.05 M Tris-HCl and collagenase (100 IU). 25 mg of collagen in 5 mL of 0.05 M Tris-HCl buffer was incubated with 1 mL of collagenase at 37 0 C for 18 hours (Lima et al., 2013).

MAIN RESULTS

Initially, porcine collagen DNA could not be directly detected with a porcine primer-probe even though RT-PCR is specifically designed to detect a DNA product. In addition, as Taq polymerase inhibited by hydrogen interactions in collagen, the DNA stability can be compromised (McCord, 2014). On the other hand, porcine gelatin, which is a partial hydrolysis of collagen, shows a successful amplification of porcine DNA (Nurilmala et al., 2020).

Prior to RT-PCR analysis, collagen must be hydrolyzed with enzymes and acids. This study used two types of enzymes, namely collagenase and the papain enzyme. The collagenase was incubated in 0.05 M Tris-HCl as a buffer, while the papain enzyme was incubated in 2% formic acid. The hydrolysis of particular amino acids is carried out using enzymes because enzymes are specific for cutting certain amino acids. The enzymatic hydrolysis is also processed at low temperatures so that it does not damage the structure (Selvakumar et al., 2012).

However, in this study, the pre-treatment step with papain enzyme 200 IU and formic acid could not hydrolyze collagen, thus RT-PCR could not detect it. Contrary to that, RT-PCR detected porcine collagen after pre-treatment step with 100 IU of collagenase enzymes. This is because the collagenase enzyme is a protease that recognizes Pro-X-Gly amino acid sequences. The issue arises because many amino acids repeat in collagen, with the X and Y

locations being predominantly proline/hydroxyproline amino acids. Definitively, the amino acid hydroxyproline stabilizes the protein structure, making the hydrolysis process more difficult.

Table 1 shows the Ct (Cycle of Threshold) value for collagen detection using RT-PCR. The Ct value in the porcine collagen sample was invalid because the Internal Positive Control (IPC) value was not analyzed, as well as the porcine collagen sample hydrolyzed with the papain enzyme was still not detected by RT-PCR. Nevertheless, collagen hydrolyzed with collagenase enzymes and Tris-HCl has a Ct value of 36.15. This follows the literature which explains that the maximum value is ~ 40^2 .

Sam	Information	Concentration	Purity	Gene	C(t)
ple					
SKB	Porcine Collagen	4.4	1.98	Porcine	N/A
	Sample			IPC	N/A
SKB	Porcine Collagen	3.5	1.99	Porcine	34.21
.EP	Sample, hydrolysis			IPC	N/A
	Papain Enzyme				
SKB	Porcine Collagen	5.3	2.45	Porcine	36.15
.EK	Sample, hydrolysis			IPC	30.61
	Collagenase Enzyme				

Table 1. Result of porcine collagen DNA testing




Figure 1. Amplification curves of porcine DNA detection using Real-Time PCR for a. porcine collagen; b. porcine collagen hydrolyzed with papain; c. porcine collagen hydrolyzed with collagenase.

The detection of porcine collagen using real-time PCR shows negative results for FAM and

VIC (Fig. 1). The FAM is a curve that shows porcine DNA, whereas if a positive sample contains pork, the FAM curve will rise. In that figure, the FAM curve is shown with a blue line. The VIC, on the other hand, is a curve that shows IPC DNA. The porcine collagen degraded by the papain enzyme revealed an invalid amplification curve, while the FAM curve increased. It differs from porcine collagen, which was hydrolyzed by collagenase enzymes. The real-time PCR results show that the curve is well amplified. Both the FAM and VIC curves show a positive result.

CONCLUSION

Collagen is a unique protein because it cannot be directly detected using RT-PCR, whereas gelatin, which is the result of partial hydrolysis of collagen, can be directly detected using RT-PCR. Therefore, a pre-treatment is needed to detect porcine collagen and can be included in the RT-PCR method used for halal authentication of collagen. Pre-treatment by hydrolysis using collagenase can break down the structure of certain amino acids so that the DNA can be detected using RT-PCR. In addition, the Ct value in the pig collagen sample hydrolyzed with collagenase was 36.15.

Acknowledgment: This research is fully funded and facilitated by Halal Laboratory, Indonesian Halal Certifier LPPOM MUI. We also thank PT. BROMELAIN ENZYME for providing the papain enzyme.

Reference:

- Cai, H., Gu, X., Scanlan, M. S., Ramatlapeng, D. H., & Lively, C. R. (2012). Real-time PCR assays for detection and quantitation of porcine and bovine DNA in gelatin mixtures and gelatin capsules. *Journal of Food Composition and Analysis*, 25(1), 83-87.
- Hong, H., Roy, B. C., Chalamaiah, M., Bruce, H. L., & Wu, J. (2018). Pretreatment with formic acid enhances the production of small peptides from highly cross-linked collagen of spent hens. *Food chemistry*, 258, 174-180.
- Lima, C. A., Júnior, A. C. F., Lima Filho, J. L., Converti, A., Marques, D. A. V., Carneiroda-Cunha, M. G., & Porto, A. L. F. (2013). Two-phase partitioning and partial characterization of a collagenase from Penicillium aurantiogriseum URM4622: Application to collagen hydrolysis. *Biochemical engineering journal*, 75, 64-71.
- McCord, B., Pionzio, A., & Thompson, R. (2014). Analysis of the effect of a variety of PCR inhibitors on the amplification of DNA using real time PCR, melt curves and STR analysis. *Annotation*.
- Nurilmala, M., Hizbullah, H. H., Karnia, E., Kusumaningtyas, E., & Ochiai, Y. (2020). Characterization and antioxidant activity of collagen, gelatin, and the derived peptides from yellowfin tuna (Thunnus albacares) skin. *Marine drugs*, 18(2), 98.
- Selvakumar, P., Ling, T. C., Covington, A. D., & Lyddiatt, A. (2012). Enzymatic hydrolysis of bovine hide and recovery of collagen hydrolysate in aqueous two-phase systems. *Separation and Purification Technology*, 89, 282-287.
- Tanabe, S., Hase, M., Yano, T., Sato, M., Fujimura, T., & Akiyama, H. (2007). A real-time quantitative PCR detection method for pork, chicken, beef, mutton, and horseflesh in foods. *Bioscience, biotechnology, and biochemistry*, 71(12), 3131-3135.